

РОССИЙСКАЯ ФЕДЕРАЦИЯ



СВИДЕТЕЛЬСТВО

на товарный знак (знак обслуживания)

№ 759701



Правообладатель: Зубарев Евгений Юрьевич, 141301, Московская
обл., Сергиево-Посадский р-н., г. Сергиев-Посад, ул.
Инженерная, д.21, кв. 392 (RU)

Заявка № 2019761065

Приоритет товарного знака 28 ноября 2019 г.

Зарегистрировано в Государственном реестре
товарных знаков и знаков обслуживания

Российской Федерации 28 мая 2020 г.

Срок действия регистрации истекает 28 ноября 2029 г.

Руководитель Федеральной службы
по интеллектуальной собственности



Г.П. Ивлиев

United States of America

United States Patent and Trademark Office



TERMION
innovative coatings

Reg. No. 6,733,678

Registered May 24, 2022

Int. Cl.: 2, 17

Trademark

Principal Register

Zybarev Evgeny Yurevich (RUSSIAN FEDERATION INDIVIDUAL)
Inzhenernaya ul., d. 21, kv. 392,
Sergievo-Posadsky r-n Sergiev Posad RU-1
RUSSIAN FED.

CLASS 2: Annatto being dyestuff; auramine; Canada balsam; white lead; paper for dyeing Easter eggs, namely, rapid dyes; food dyes; binding agents for paints; glazes being paints and lacquers; litharge being pigment; primers; gamboge for painting; gum-lac; titanium dioxide being pigment; repositionable paint patches; indigo as colorant; gum resins being raw natural resins; colophony being raw natural resins; caramel for use as a food colorant; carbonyl for use as a wood preservative; cochineal carmine; toner cartridges, filled, for printers and photocopiers; edible ink cartridges, filled, for printers; copal; colorants; alizarine dyes; aniline dyes; colorants for the restoration of furniture in the form of markers; ink for leather; colorants for liqueurs; colorants for beverages; shoe dyes; colorants for beer; colorants for butter; ink for skin-dressing, namely, ink for leather; dyewood; malt colorants; food dyes; paints; ink for printers and photocopiers; watercolor paints for use in art; aluminium paints; asbestos paints; bactericidal paints; wood stains; ceramic paints; marking ink for animals; distempers; oil paints for use in art; fireproof paints; printing ink; engraving ink; enamels for painting; creosote for wood preservation; turmeric used as a colorant; black japan; lacquers; bitumen varnish; bronzing lacquers; copal varnish; anti-corrosive bands being anti-corrosive papers; anti-rust oils; oils for the preservation of wood; mastic being unprocessed natural resin; lime wash; cobalt oxide as colorant; zinc oxide being pigment; silver paste being printers' pastes; printers' pastes being ink; pigments; coatings for wood as paints; coatings for roofing felt being paints; preservative coatings for wood surfaces; undercoating for vehicle chassis; anti-fouling paints; varnishes; aluminium powder for painting; bronze powder for painting; silvering powders being priming powder; metals in powder form for use in painting, decorating, printing and art; anti-corrosive preparations, namely, vehicle corrosion inhibiting preparations in the nature of a coating; protective preparations for metals, namely, architectural protective coatings; mordant dyes; wood mordants; mordants for leather; thinners for paints; thinners for lacquers; whitewash; soot for use as a colorant; carbon black as pigment; lamp black being pigment; sandarac; thickeners for paints; sienna earth as pigment; siccatives for paints, namely, siccatives for use as drying agents for coatings; anti-rust greases; natural resins, raw; malt caramel for use as a food colorant; badigeon being coatings comprised of cement; anti-tarnishing preparations for coating metals; anti-rust preparations, namely, anti-rust oils; wood preservatives; sumac for use as varnishes; minium; turpentine for use as thinner for paints; fixatives in the nature of varnishes; fixatives in the nature of varnishes for protection of watercolor paintings; metal foil for use in painting, decorating, printing and art; yellowwood for use as a colorant; edible inks; saffron for use as a colorant; dyewood extracts; enamels for use as varnishes; silver emulsions being pigments



Katherine Kelly Vidal

Director of the United States
Patent and Trademark Office



VOLUNTARY CERTIFICATION SYSTEM
"PROMTECHSTANDART"№POCC RU.32001.04ИБФ1 in the unified register of registered voluntary certification systems
FEDERAL AGENCY FOR TECHNICAL REGULATION AND METROLOGY

Registration number POCC RU.32001.04ИБФ1.ОСП28.55808

Valid from 27.06.2024 to 26.06.2029

CERTIFICATION BODY № POCC RU.32001.04ИБФ1.ОСП28, Limited Liability Company "Progress", 17 Dukhovskoy lane, building 15, room 11n/2, intracity territory of the Donskoy municipal district, Moscow, 115191, Russian Federation, TIN: 7733398635, PSRN: 1227700834613, email: progress.reestr@yandex.ru

PRODUCTS Liquid glass-ceramic thin-film heat-insulating coatings «Termion», modifications: «TERMION Standard»; «TERMION Facade»; «TERMION Bioprotection»; «TERMION Finish»; «TERMION Anticor»; «TERMION Winter»; «TERMION Vulcan»; «TERMION Standard NF»; «TERMION Facade NF»; «TERMION Bioprotection NF»; «TERMION Finish NF»; «TERMION Anticor NF»; «TERMION Winter NF». Serial release.

OK code
20.16.53

TN VED code

MEETS THE REQUIREMENTS OF REGULATIVE DOCUMENTS
ТУ 2216-005-04242160-2016

MANUFACTURER Limited Liability Company NPO «Altermo»,
Address: Russia, 143005, Moscow region, Odintsovo, st. Kutuzovskaya, 21, of. 124, TIN: 5032253229,
PSRN: 1165032058663, phone: 8 (495) 664-38-94, email: office@alttermo.ru

CERTIFICATE ISSUED Limited Liability Company NPO «Altermo»,
Address: Russia, 143005, Moscow region, Odintsovo, st. Kutuzovskaya, 21, of. 124, TIN: 5032253229,
PSRN: 1165032058663, phone: 8 (495) 664-38-94, email: office@alttermo.ru

BASED Test (research) report №51031-ПРГ/24 from 21.06.2024 Testing laboratory
«Progress» LLC accreditation certificate No. POCC RU.32001.04ИБФ1.ИЛ58 from
2022-12-09

Authentication
certificate of
conformity

ADDITIONAL INFORMATION Certification scheme: 2c (GOST-R 53603-2020.
Conformity assessment. Product certification schemes in the Russian Federation).



Head of the body

Expert

M.F. Anikin

initials, surname

A.E. Aleshina

initials, surname

The certificate is not applicable for mandatory certification

This certificate of conformity obliges the organization to maintain the production (sale) of products in accordance with the above standard, which will be under the control of the certification body of the voluntary certification system "PromTechStandard" and confirmed during the annual inspection control



VTEC Laboratories Inc.

October 30, 2020

Client: “ALTERMO” SPA LLC.
124/21 Kutuzovskaya str., Odintsovo city, Moscow region, Russia

Subject:

Standard Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus according to ASTM C177.

Disclaimer:

This is a factual report of the results obtained from the laboratory test of sample products. The results may be applied only to the products tested and should not be construed as applicable to other similar products of the manufacturer. The report is not a recommendation or a disapprobation by VTEC Laboratories, Inc. of the material tested. While this report may be used for obtaining product acceptance, it may not be used in advertising.

Notice: VTEC Laboratories Inc. will not be liable for any loss or damage resulting from the use of the data in this report, in excess of the invoice. This report pertains to the sample tested only. Such report shall not be interpreted to be a warranty, either expressed or implied as to the suitability or fitness of said sample for such uses or applications, as the party contracting for the report may apply such sample.



VTEC Laboratories Inc.

February 12, 2021

Client: "ALTERMO" SPA LLC.124/21
Kutuzovskaya str., Odintsovo city,
Moscow region, Russia

Subject: Two Hour ASTM E119/UL263 Fire Endurance Screening Testing on 14"x 14"
coated panel with Termion Fire Protectin 01 by "Altermo" SPA LLC.

SAMPLE DESCRIPTION:

The sample was identified as follows:

Termion Fire Protection 01 coating on steel plate

The intumescent coating was sent to VTEC Laboratories Inc. for ASTM E119/UL263 Fire Endurance Screening Testing. VTEC personnel applied the coating to a 14" x 14" x 3/8" thick steel plate. The coating was applied to the steel plate using a standard brush. The coating was applied a total dry thickness of 2.56 mm and allowed to dry at ambient temperature.



Disclaimer: This test should be used to measure and describe the properties of materials, products or assemblies in response to heat and flame under controlled laboratory conditions. It should not be used to describe or appraise the fire hazards or fire risks of materials, products or assemblies under actual fire conditions. However, results of this test may be used as elements of a fire risk assessment that takes into account all of the factors that are pertinent to an assessment of fire hazard of a particular end use.

Notice: VTEC Laboratories Inc. will not be liable for any loss or damage resulting from the use of the data in this report, in excess of the invoice. This report pertains to the sample tested only. Such report shall not be interpreted to be a warranty, either expressed or implied as to the suitability or fitness of said sample for such uses or applications, as the party contracting for the report may apply such sample.



**VOLUNTARY CERTIFICATION SYSTEM
'INTERNATIONAL STANDARDIZATION TECHNOLOGIES'**
Registered in the Unified Register of Voluntary Certification Systems
Registration No. POCC RU.31763.04КОЭ2

Reg. No. VCS-IST.OS5.RU.0001.12.21

Certification authority SDS 'MTS' OOO 'ECSD'

Address: 188640, Leningrad region, Vsevolozhsk, Vsevolozhsky prospect, 49A, pom. 6
Tel.: +7(812)425-34-39; e-mail: iso.sds@mail.ru

CERTIFICATE OF CONFORMITY

Reg. No. ECSD.SS.RU.0455.12.24

THIS IS TO CERTIFY THAT
INTEGRATED MANAGEMENT SYSTEM

*(The scope of certification is indicated in Annex No. 1. The Annex is an integral
part of the certificate)*

MEETS THE REQUIREMENTS OF

**GOST R ISO 9001-2015 (ISO 9001:2015), GOST R ISO 14001-2016 (ISO 14001:2015),
GOST R ISO 45001-2020 (ISO 45001:2018)**

THE CERTIFICATE HAS BEEN ISSUED TO

LLC Scientific Production Association "Altermo"

Address: 124/21 Kutuzovskaya str., Odintsovo city, 143005, Russia
Taxpayer Identification Number (INN) 5032253229
Primary State Registration Number (OGRN) 1165032058663

Date of issue: 17.12.2024


Head of the authority:

A.A. Arbatsky

Valid until: 17.12.2027

Expert:

V.I. Bogucharskov



THIS CERTIFICATE BINDS ITS HOLDER TO MAINTAIN THE QUALITY OF THE WORKS
PERFORMED IN THE STATE COMPLIANT WITH THE REQUIREMENTS OF THE ABOVE STANDARD,
WHICH WILL BE SUPERVISED BY THE CERTIFICATION AUTHORITY OF THE VOLUNTARY
CERTIFICATION SYSTEM 'MTS' AND CONFIRMED DURING INSPECTIONS.



**VOLUNTARY CERTIFICATION SYSTEM
'INTERNATIONAL STANDARDIZATION TECHNOLOGIES'**
Registered in the Unified Register of Voluntary Certification Systems
Registration No. POCC RU.31763.04КОЭ2

Reg. No. VCS-IST.OS5.RU.0001.12.21

Certification authority SDS 'MTS' OOO 'ECSD'

Address: 188640, Leningrad region, Vsevolozhsk, Vsevolozhsky prospect, 49A, pom. 6
Tel.: +7(812)425-34-39; e-mail: iso.sds@mail.ru

PERMISSION

No. ECSD.RZ.RU.0455.12.24

**TO USE THE CONFORMITY MARK OF THE
VOLUNTARY CERTIFICATION SYSTEM
'INTERNATIONAL STANDARDIZATION TECHNOLOGIES'**

THE PERMISSION HAS BEEN ISSUED TO

LLC Scientific Production Association "Altermo"

Address: 124/21 Kutuzovskaya str., Odintsovo city, 143005, Russia

Taxpayer Identification Number (INN) 5032253229

Primary State Registration Number (OGRN) 1165032058663

BASED ON THE CERTIFICATE

No. ECSD.SS.RU.0455.12.24

Date of issue: 17.12.2024

Valid until: 17.12.2027



Conditions of the Conformity Mark use:

Corporate letterheads, contracts, promotional materials and print publications

Head of the authority

A.A. Arbatsky



**VOLUNTARY CERTIFICATION SYSTEM
'INTERNATIONAL STANDARDIZATION TECHNOLOGIES'**
Registered in the Unified Register of Voluntary Certification Systems
Registration No. POCC RU.31763.04КОЭ2

Reg. No. VCS-IST.OS5.RU.0001.12.21

Certification authority SDS 'MTS' OOO 'ECSD'

Address: 188640, Leningrad region, Vsevolozhsk, Vsevolozhsky prospect, 49A, pom. 6
Tel.: +7(812)425-34-39; e-mail: iso.sds@mail.ru

Annex No. 1
to the Certificate of Conformity No. **ECSD.SS.RU.0455.12.24**

Scope of certification of the integrated management system:

Quality management system applied to the production of liquid ceramic insulating coatings; fire retardant and waterproofing coatings; water dispersion primers; the production of paints, varnishes, enamels based on polymers and related products; soundproof and noise insulation materials.



Head of the authority:

A.A. Arbatsky

Expert:

V.I. Bogucharskov



ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

Управление Роспотребнадзора по Республике Адыгея (Адыгея)
Главный государственный санитарный врач Республики Адыгея
Республика Адыгея

СВИДЕТЕЛЬСТВО

No RU 01 PA 02 015 E 000371 04 20 OT 17.04.2020

ПРОДУКЦИЯ

Покрытия жидкие стеклокерамические тонколленочные теплоизоляционные "ТЕРМИОН™": "ТЕРМИОН Стандарт", "ТЕРМИОН Фасад", "ТЕРМИОН Финиш", "ТЕРМИОН Биозащита", "ТЕРМИОН Стандарт НГ", "ТЕРМИОН Фасад НГ", "ТЕРМИОН Финиш НГ", "ТЕРМИОН Биозащита НГ". Область применения: для промышленного и бытового применения в качестве тепловой и антикоррозионной изоляции ограждающий конструкций зданий и сооружений, (далее согласно приложению). Изготовлена в соответствии с документами: ТУ 2215-005-0424160-2016 Покрытия жидкие стеклокерамические тонколленочные теплоизоляционные "ТЕРМИОН"

ИЗГОТОВИТЕЛЬ

Общество с ограниченной ответственностью Научно-Производственное Объединение "Альтермо". Адрес производств: 141342, Московская область, Сергиево-Посадский район, пл. Богородское, д. 79Б "Российская Федерация".

ЗАЯВИТЕЛЬ

Общество с ограниченной ответственностью Научно-Производственное Объединение "Альтермо", юридический адрес: 143005, Московская область, г. Одинцово, ул. Кутузовская, дом 21, квартира 124; ИНН 5032253229 ("Российская Федерация"), ОГРН 1165032058663

СООТВЕТСТВУЕТ

Единым санитарно - эпидемиологическим и гигиеническим требованиям к товарам, подлежащим санитарно-эпидемиологическому надзору (контролю), утв. Решением Таможенного союза от 28.05.2010 года № 299 (глава II, раздел 6, раздел 11)

СВИДЕТЕЛЬСТВО ВЫДАНО НА ОСНОВАНИИ

Экспертное заключение ООО "Гигиена-ЭКО-Кубань" № 001099 от 09.04.2020 года (аттестат аккредитации № RA.RU.710250 от 16.11.2017 года); - Протокол № 03/03-03/ОС-20 от 25.03.2020 года, выданный: ИПЦ ФГБУ "Центр Государственного санитарно-эпидемиологического надзора" Управления делами Президента Российской Федерации (аттестат аккредитации № РОСС RU.0001.510440) 121359, г. Москва, ул. Маршала Тимошенко, д. 23.

СРОК ДЕЙСТВИЯ

не ограничен

Руководитель

(должность руководителя (уполномоченного лица) уполномоченного органа государства – члена Евразийского экономического союза)



Завгородній С.А.

N° 0410740



ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

Управление Роспотребнадзора по Республике Адыгея (Адыгея)
 Главный государственный санитарный врач Республики Адыгея
 Республика Адыгея

(уполномоченный орган государств-членов Евразийского экономического союза)

СВИДЕТЕЛЬСТВО

о государственной регистрации продукции

№

RU.01.RA.02.015.E.000372.04.20

от

17.04.2020

г.

ПРОДУКЦИЯ

Покрытия жидкие стеклокерамические тонкопленочные теплоизоляционные "ТЕРМИОН"™: "ТЕРМИОН Зима", "ТЕРМИОН Антикор", "ТЕРМИОН Вулкан", "ТЕРМИОН Зима НГ", "ТЕРМИОН Антикор НГ". Область применения: для промышленного и бытового применения в качестве тепловой и антикоррозионной изоляции ограждающий конструкций зданий и сооружений, (далее согласно приложению). Изготовлена в соответствии с документами: ТУ 2216-005-0424160-2016 Покрытия жидкие стеклокерамические тонкопленочные теплоизоляционные "ТЕРМИОН".

ИЗГОТОВИТЕЛЬ

Общество с ограниченной ответственностью Научно-Производственное Объединение "Альтермо". Адрес производства: 141342, Московская область, Сергиево-Посадский район, рп. Богородское, д.795 ("Российская Федерация")

ЗАЯВИТЕЛЬ

Общество с ограниченной ответственностью Научно-Производственное Объединение "Альтермо", юридический адрес: 143005, Московская область, г. Одинцово, ул. Кутузовская, дом 21, квартира 124; ИНН 5032253229 ("Российская Федерация"). ОГРН: 1165032058663

СООТВЕТСТВУЕТ

Единым санитарно - эпидемиологическим и гигиеническим требованиям к товарам, подлежащим санитарно-эпидемиологическому надзору (контролю), утв. Решением Таможенного союза от 28.05.2010 года № 299 (глава II, раздел 6, раздел 11)

СВИДЕТЕЛЬСТВО ВЫДАНО НА ОСНОВАНИИ

Экспертное заключение ООО "Гигиена-ЭКО-Кубань" № 001095 от 09.04.2020 года (аттестат аккредитации № RA.RU.710250 от 16.11.2017 года); - Протокол № 03/04-04/ОС-20 от 25.03.2020 года, выданный: ИЛЦ ФГБУ "Центр Государственного санитарно-эпидемиологического надзора" Управления делами Президента Российской Федерации (аттестат аккредитации № РОСС RU.0001.510440) 121359, г. Москва, ул. Маршала Тимошенко, д. 23.

СРОК ДЕЙСТВИЯ

не ограничен

Руководитель

(должность руководителя (уполномоченного лица), уполномоченного органа государств-членов Евразийского экономического союза)



М.П.

(Фамилия)

Завгородний С.А.

№ 0410741



СИСТЕМА ДОБРОВОЛЬНОЙ СЕРТИФИКАЦИИ НСОПБ
регистрационный № РОСС RU.M704.04ЮАБО

www.nsopb.ru, e-mail:nsopb@nsopb.ru

СЕРТИФИКАТ СООТВЕТСТВИЯ

№ **НСОПБ.RU.ЭО.ПР007.Н.00424**

032150

(учетный номер бланка)

ЗАЯВИТЕЛЬ

(наименование и
местонахождение
заявителя)

Общество с ограниченной ответственностью Научно-Производственное Объединение «Альтермо». ИНН: 5032253229, КПП: 503201001, ОГРН: 165032058663. Юридический адрес: 143005, Московская обл., г. Одинцово, ул. Кутузовская, д.21, оф.124. Телефон: 8(495)664-38-94, e-mail: office@altermo.ru.

ИЗГОТОВИТЕЛЬ

(наименование и
местонахождение изготовителя
продукции)

Общество с ограниченной ответственностью Научно-Производственное Объединение «Альтермо». ИНН: 5032253229, КПП: 503201001, ОГРН: 165032058663. Адрес производства: 141321 Московская обл., г. Краснозаводск, ул. 1 Мая, дом 25А. Телефон: 8(495)664-38-94, e-mail: office@altermo.ru.

**ОРГАН ПО
СЕРТИФИКАЦИИ**

(наименование и
местонахождение органа по
сертификации, выдавшего
сертификат соответствия)

ОС «ПожГарант» Общество с ограниченной ответственностью «Гарантия Качества». ОГРН: 1153926025901. Адрес: 236022, г. Калининград, ул. Дмитрия Донского, 7/11, офис 101 В. Тел.: +7 (909)785-99-88. Свидетельство № НСОПБ ЮАБ0.RU.ЭО.ПР.007 от 19.07.2016.

**ПОДТВЕРЖДАЕТ,
ЧТО ПРОДУКЦИЯ**

(информация о
сертифицированной продукции,
позволяющая провести
идентификацию)

Покрытия жидкие стеклокерамические тонкопленочные теплоизоляционные «ТЕРМИОН»; модификации: «ТЕРМИОН Стандарт», «ТЕРМИОН Фасад», «ТЕРМИОН Биозащита», «ТЕРМИОН Финиш», «ТЕРМИОН Антикор», «ТЕРМИОН Зима», «ТЕРМИОН Вулкан», выпускаемые по ТУ 2216-005-04242160-2016. Серийный выпуск.

**СООТВЕТСТВУЕТ
ТРЕБОВАНИЯМ**

(наименование национальных
стандартов, стандартов
организаций, сводов правил,
условий договоров на соответствие
требованиям которых проводилась
сертификация)

НПБ 244-97 «Материалы строительные. Декоративно-отделочные и облицовочные материалы. Материалы для покрытия полов. Кровельные, гидроизоляционные и теплоизоляционные материалы. Показатели пожарной безопасности». Согласно приложению на 1 листе (бланк № 006818).

код ОКПД2
20.16.53.

код ТН ВЭД
3209100009

**ПРОВЕДЕННЫЕ
ИССЛЕДОВАНИЯ
(ИСПЫТАНИЯ) И
ИЗМЕРЕНИЯ**

Протоколы испытаний №№ 00800/EM-16, 00801/EM-16, 00802/EM-16, 00803/EM-16, 00804/EM-16, 00805/EM-16, 00806/EM-16 от 18.06.2021 года ИЛ «ПожГарант»

Общество с ограниченной ответственностью «Гарантия Качества»,

№ НСОПБ ЮАБ0.RU.ЭО.ПР.007 от 19.07.2016 года.

**ПРЕДСТАВЛЕННЫЕ
ДОКУМЕНТЫ**

(документы, представленные
заявителем в орган по
сертификации в качестве
доказательств соответствия)

ТУ 2216-005-04242160-2016, сертификат системы менеджмента качества ГОСТ Р ИСО 9001-2015 (ISO 9001:2015) № СДС.ЕС.РУ.И007993 от 24.12.2018 года, выдан ООО «ЕВРАКОН», свидетельство № РОСС RU.31582.040РНО.



Руководитель
(заместитель руководителя
органа по сертификации)
(подпись, инициалы, фамилия)

Эксперт (эксперты)
(подпись, инициалы, фамилия)


Фатеева М. Е.

Секерин Е. С.



СИСТЕМА ДОБРОВОЛЬНОЙ СЕРТИФИКАЦИИ НСОПБ
регистрационный №РОСС RU.М704.04ЮАБО

www.nsopb.ru, e-mail:nsopb@nsopb.ru

СЕРТИФИКАТ СООТВЕТСТВИЯ

№ **НСОПБ.RU.ЭО.ПР007.Н.00425**
(номер сертификата соответствия)

032151

(учетный номер бланка)

ЗАЯВИТЕЛЬ

(наименование и
местонахождение
заявителя)

Общество с ограниченной ответственностью Научно-Производственное Объединение «Альтермо». ИНН:5032253229, КПП:503201001, ОГРН:165032058663. Юридический адрес: 143005, Московская обл., г. Одинцово, ул. Кутузовская, д.21, оф.124. Телефон: 8 (495) 664-38-94, e-mail: office@altermo.ru.

ИЗГОТОВИТЕЛЬ

(наименование и
местонахождение изготавлива
ющей продукции)

Общество с ограниченной ответственностью Научно-Производственное Объединение «Альтермо». ИНН:5032253229, КПП:503201001, ОГРН:165032058663. Адрес производства: 141321 Московская обл., г. Краснозаводск, ул. 1 Мая, дом 25А. Телефон: 8 (495) 664-38-94, e-mail: office@altermo.ru.

**ОРГАН ПО
СЕРТИФИКАЦИИ**

(наименование и
местонахождение органа по
сертификации, выдавшего
сертификат соответствия)

ОС «ПожГарант» Общество с ограниченной ответственностью «Гарантия Качества». ОГРН: 1153926025901. Адрес: 236022, г. Калининград, ул. Дмитрия Донского, 7/11, офис 101 В. Тел.: +7 (909)785-99-88. Свидетельство № НСОПБ ЮАБО.РУ.ЭО.ПР.007 от 19.07.2016.

**ПОДТВЕРЖДАЕТ,
ЧТО ПРОДУКЦИЯ**

(информация о
сертифицированной продукции,
позволяющая провести
идентификацию)

Покрытия жидкие стеклокерамические тонкопленочные теплоизоляционные «ТЕРМИОН»; модификации: «ТЕРМИОН Стандарт НГ»; «ТЕРМИОН Фасад НГ»; «ТЕРМИОН Биозащита НГ»; «ТЕРМИОН Финиш НГ»; «ТЕРМИОН Антикор НГ»; «ТЕРМИОН Зима НГ», выпускаемые по ТУ 2216-005-04242160-2016. Серийный выпуск.

**СООТВЕТСТВУЕТ
ТРЕБОВАНИЯМ**

(наименование национальных
стандартов, стандартов
организаций, сводов правил,
условий договоров на соответствие
требованиям которых проводилась
сертификация)

Федеральный закон от 22.07.2008 № 123-ФЗ (ред. 29.07.2017) «Технический регламент о требованиях пожарной
безопасности». Класс пожарной опасности – КМ (0). ГОСТ
30244-94 «Материалы строительные. Методы испытаний на
теплостойкость и горючесть». Метод 1 – НГ (негорючий).

код ОКПД2
20.16.53.

код ТН ВЭД
3209100009

**ПРОВЕДЕННЫЕ
ИССЛЕДОВАНИЯ
(ИСПЫТАНИЯ) И
ИЗМЕРЕНИЯ**

Протоколы испытаний №№ 00807/ЕМ-16, 00808/ЕМ-16, 00809/ЕМ-16, 00810/ЕМ-16,
00811/ЕМ-16, 00812/ЕМ-16 от 18.06.2021 года ИЛ «ПожГарант» Общество с
ограниченной ответственностью «Гарантия Качества», № НСОПБ ЮАБО.РУ.ЭО.ПР.007
от 19.07.2016 года.

**ПРЕДСТАВЛЕННЫЕ
ДОКУМЕНТЫ**

(документы, представленные
заявителем в орган по
сертификации в качестве
доказательств соответствия)

ТУ 2216-005-04242160-2016, сертификат системы менеджмента качества
ГОСТ Р ИСО 9001-2015 (ISO 9001:2015) № СДС.ЕС.РУ.И007993 от 24.12.2018 года,
выдан ООО «ЕВРАКОН», свидетельство № РОСС RU.31582.040РНО.



СРОК ДЕЙСТВИЯ СЕРТИФИКАТА СООТВЕТСТВИЯ с 18.06.2021 г. по 17.06.2026 г.
Руководитель
(заместитель руководителя
органа по сертификации)
(подпись, инициалы, фамилия)

Эксперт (эксперты)
(подпись, инициалы, фамилия)


Фатеева М. Е.

Секерин Е. С.